

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions of claims in the application:

Listing of Claims:

1. (Currently Amended) A system that facilitates a user interface, comprising:
~~a gesture that is interpretable as a user command to control a computer system~~
received from a gesture; and
a 3-D imaging component that captures the gesture in the form of a gesture image, processes the gesture image, and interprets the gesture image to execute the user command for control of the computer system and the imaging component permits different users to select different commands to associate with the received gesture such that the received gesture executes a user command based on user profile.
2. (Canceled)
3. (Canceled)
4. (Canceled)
5. (Withdrawn) The system of claim 1, further comprising a voice communication system that receive voice signals that are used singly or in combination with the gesture to control the computer system.
6. (Canceled)
7. (Currently Amended) The system of claim 1, ~~the computer system uses the 3-D imaging system~~ [[to determine]] determines when an operator is looking in the direction of the computer system [[thereof]].

8. (Original) The system of claim 1, the 3-D imaging component is distributed across the computer system and at least one other computer system.

9. (Canceled)

10. (Withdrawn) A computer readable medium having stored thereon computer executable instructions for carrying out the system of claim 1.

11. (Currently Amended) A system that facilitates a user interface in a medical environment, comprising:

~~a gesture that is interpretable as a user command to control an object of a computer system~~ received as a gesture;

a 3-D imaging component that captures the gesture in the form of a gesture image, processes the gesture image, and interprets the gesture image to execute the user command for control of the computer system, the imaging component permits user selection of association of gestures with user commands wherein different users employ different gestures for execution of a given command, the association being determined during execution by user profile; and

a wireless control device the orientation of which is used in combination with the gesture to control the computer system.

12. (Withdrawn) The system of claim 11, the wireless control device includes a sensor that outputs at least one of a single axis signal and tri-axial signal.

13. (Withdrawn) The system of claim 11, the object comprises at least one of hardware and software of the control system.

14. (Canceled)

15. (Canceled)

16. (Withdrawn) The system of claim 11, the gesture includes the use of both hands of an operator to cause execution of the user command.

17. (Canceled)

18. (Withdrawn) The system of claim 11, the wireless control device is used to determine when line of sight of an operator interacts with computer system for control of the object.

19. (Currently Amended) A method of controlling a computer system using a gesture, comprising:

 permitting different users to select different gestures for execution of a user command on the computer system;

 capturing one aspect of ~~the~~ a gesture in the form of a 3-D gesture image;

 processing the 3-D gesture image to determine an associated user command preselected by a user to associate with the received gesture; and

 executing the user command to effect manipulation of an object of the computer system based on the selection obtained from profile of the user.

20. (Canceled)

21. (Canceled)

22. (Canceled)

23. (Canceled)

24. (Withdrawn) The method of claim 19, further comprising controlling the object, which is 3-D image data, by presenting one or more gestures that facilitate at least one of rotation about an axis that corresponds to smooth rotation of a user's hand, rotation about a vertex of the 3-D image data, and stepped rotation.

25. (Withdrawn) The method of claim 19, further comprising controlling the object, which object is associated with at least one of lighting, display intensity, and volume control of an audio signal.

26. (Canceled)

27. (Withdrawn) The method of claim 19, further comprising identifying the gesture with a user *via* a radio frequency tag.

28. (Withdrawn) The method of claim 27, the tag is attached to a glove worn by the user.

29. (Canceled)

30. (Withdrawn) A method of controlling a computer system in an operating room environment, comprising:

calibrating the computer system according to a user profile of individualized gesture data by presenting associated gestures using at least one or more body motions;

mapping the gesture data to at least one user command that is executable by the computer system;

invoking the user profile according to a unique signal;

presenting the gestures to a 3-D imaging system for capture and processing;

interpreting 3-D renderings of the gestures to retrieve the associated user commands; and

executing the user commands to effect manipulation of an object of the computer system.

31. (Withdrawn) The method of claim 30, further comprising automatically including a second user profile of individualized gestures data with the user profile of individualized gesture data with when the associated second user is detected within the operating room environment.

32. (Withdrawn) The method of claim 30, further comprising automatically learning gesture characteristics of a user associated with the user profile, and updating the user profile with the learned gesture characteristics.

33. (Withdrawn) A computer-readable medium having computer-executable instructions for performing a method of controlling a computer using gestures, the method comprising:

- receiving gesture calibration data in the form of 3-D images of the gestures;
- mapping the gesture calibration data to at least one user command that is executable by the computer system;
- associating the mapped gesture calibration data with a user profile of a user;
- invoking the user profile according to a unique signal received from the user;
- processing subsequent 3-D images of the gestures received via a camera system;
- interpreting the subsequent 3-D images of the gestures to retrieve the associated user commands; and
- executing the user commands to effect manipulation of a hardware or software object of the computer system.

34. (Withdrawn) The method of claim 33, further comprising presenting and manipulating 3-D images of system data in response to presenting the gestures.

35. (Withdrawn) The method of claim 33, further comprising defining a volume of space over a patient on an operating table, and processing one or more of the gestures presented within the volume of space to effect control of the computer before, during, or after an operating procedure on the patient.

36. (Withdrawn) A system for controlling a computer during a medical procedure using one or more hand gestures of a medical person, comprising:
- means for capturing a gesture presented by a medical person, in the form of a 3-D image;
 - means for processing the 3-D image of the gesture to allow recognition thereof;
 - means for returning a computer command associated with the recognized gesture;
- and
- means for executing the computer command to facilitate manipulation of medical information presented on a display to the medical person.
37. (Withdrawn) The system of claim 36, further comprising means for confirming use of the computer command with the recognized gesture.
38. (Withdrawn) The system of claim 36, the gesture includes means for generating an audio signal in the form of at least one of vocalizations and clicking.
39. (New) The system of claim 1, the 3-D imaging component captures a gesture formed by using at least one hand.
40. (New) The system of claim 1, the 3-D imaging component captures a gesture formed using a head movement.
41. (New) The system of claim 1, the 3-D imaging component initiates a confirmation request signal in response to receiving the gesture.
42. (New) The system of claim 1, the 3-D imaging component detects gesture characteristics in the captured gesture, which gesture characteristics include at least one of hand movement, finger count, finger orientation, hand orientation, and hand rotation.
43. (New) The system of claim 1, the 3-D imaging component continually monitors location of a given user bearing a tag via a triangulation system, and associates the

location data with captured image data such that gestures from that location will be processed against associated user profile to properly execute the user command.

44. The system of claim 1, the 3-D imaging component controls windows in the computer system based on dwell time of the received gesture wherein dwell time is a time after having engaged the computer system, that the user holds their hand position stationary such that a system icon remains over a particular window.

45. (New) The system of claim 11, the 3-D imaging component utilizes the captured gesture to facilitate rotation of data presented by the computer system about at least one of an axis and a vertex of the data.

46. (New) The system of claim 11, the 3-D imaging component utilizes the captured gesture to manipulate image data presented by the computer system, which manipulation of data includes at least one axis translation, zoom control, and paging through multiple images of the image data.

47. (New) The system of claim 11, the 3-D imaging component associates the captured gesture with a unique user.

48. (New) The system of claim 11, the 3-D imaging component further comprising processing subsequent gesture images to interpret the gesture for manipulation of the object.

49. (New) The system of claim 11, the 3-D imaging component further comprising presenting the gesture as at least one of a hand manipulation, a gaze signal, or a vocalization, to control the object.

50. (New) The system of claim 11, the 3-D imaging component automatically changes user profiles when a user programmed to interact therewith has been replaced by a second user.

51. (New) The system of claim 11, the controlled object is associated with video data and the 3D imaging component executes the user command to at least one of start, stop, freeze or loop the video data.

52. (New) The method of claim 19, the associated user command is characterized according to finger usage and hand pose.